EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	452	703/22.ccor.	US-PGPUB; USPAT	OR	ON	2006/09/04 15:48
S2	199	703/21.ccor.	US-PGPUB; USPAT	OR	ON	2006/09/04 15:50
S3	384	703/13.ccor.	US-PGPUB; USPAT	OR	ON	2006/09/04 15:50
S4	3	(("5694600") or ("6311149") or ("20020055834")).PN.	US-PGPUB; USPAT	OR	OFF	2006/09/04 15:51
S5	897	713/2.ccor.	US-PGPUB; USPAT	OR	ON	2006/09/04 15:52
S6	1150	713/1.ccor.	US-PGPUB; USPAT	OR	ON	2006/09/04 15:52
S7	5631	boot$4 with drive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:42
S8	191	S7 with (portable removable)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:43
S9	135	S8 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:44
S10	127	S9 and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:46
S11	62	S10 and test$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:49
S12	57	S11 and (transfer$4 copy$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 09:49
S13	48	S12 and @ad<="20030805"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2006/09/05 10:24
S14	8	("4679166" | "5325532" | "5418918" | "5446877" | "5452454" | "5463766" | "5497492" | "5542082").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 10:49
S15	73	("5694600").URPN.	USPAT	OR	ON	2006/09/05 10:57
S16	2	("5274816" | "5448741").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/09/05 11:40
S17	48	("5274816").URPN.	USPAT	OR	ON	2006/09/05 11:41

		Results
10.	((pub-date > 1959 and pub-date < 2004 and FULL-TEXT(base configuration) and FULL-TEXT(test)) and boot) and drive *[All Sources(- All Sciences -)]*	1
9.	(pub-date > 1959 and pub-date < 2004 and FULL-TEXT(base configuration) and FULL-TEXT(test)) and boot *[All Sources(- All Sciences -)]*	24
8.	pub-date > 1959 and pub-date < 2004 and FULL-TEXT(base configuration) and FULL-TEXT(test) *[All Sources(- All Sciences -)]*	220
7.	((((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot) and configuration) and test) and computer) and software) and restor! *[All Sources(- All Sciences -)]*	13
6.	(((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot) and configuration) and test) and computer) and software *[All Sources(- All Sciences -)]*	36
5.	((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot) and configuration) and test) and computer *[All Sources(- All Sciences -)]*	41
3.	((((pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot) and configuration) and test *[All Sources(- All Sciences -)]*	58
3.	((pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot) and configuration *[All Sources(- All Sciences -)]*	79
2.	(pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive)) and boot *[All Sources(- All Sciences -)]*	178
1.	pub-date > 1959 and pub-date < 2004 and FULL-TEXT((portable or removable)) and FULL-TEXT(drive) *[All Sources(- All Sciences -)]*	8297

IEEE *Xplore*®
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE   SEARCH   IEEE XPLORE GUIDE   SUPPORT

Tue, 5 Sep 2006, 12:29:12 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

**Select a search number (#)
to:**

- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries   **Results**

#1   (boot drive) <and> (pyr >= 1951 <and> pyr <= 2003)   1

#2   (((portable<or>removable)<and>boot)<and>drive) <and> (pyr
          >= 1951 <and> pyr <= 2003)   298

#3   (((portable<or>removable)<and>boot<and>drive)
          <and>configuration) <and> (pyr >= 1951 <and> pyr <= 2003)   185

#4   (((portable<or>removable)<and>boot<and>drive)
          <and>configuration<and>test*) <and> (pyr >= 1951 <and> pyr
          <= 2003)   154

#5   (((portable<or>removable)<and>boot<and>drive)
          <and>configuration<and>test*<and>computer) <and> (pyr >=
          1951 <and> pyr <= 2003)   142

#6   (((portable<or>removable)<and>boot<and>drive)
          <and>configuration<and>test*<and>computer<and>software)
          <and> (pyr >= 1951 <and> pyr <= 2003)   121

          (((portable<or>removable)<and>boot<and>drive)
#7   <and>configuration<and>test*<and>computer<and>software<and>restor*)
          <and> (pyr >= 1951 <and> pyr <= 2003)   46

          (((portable<or>removable)<and>boot<and>drive)
#8<and>configuration<and>test*<and>computer<and>software<and>restor*<and>image)
          <and> (pyr >= 1951 <and> pyr <= 2003)   26

Indexed by
菊 Inspec®

P⊘RTAL

USPTO

Search: ⦿ The ACM Digital Library   ◯ The Guide

+restore, +"base configuration", boot, drive, test portable, ren

SEARCH

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Published before September 2003
Terms used <u>restore</u> <u>base configuration</u> <u>boot</u> <u>drive</u> <u>test</u> <u>portable</u> <u>removable</u>

Found **14** of **144,818**

Sort results by: relevance

Display results: condensed form

Save results to a Binder
Search Tips
☐ Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 14 of 14

Relevance scale ☐▢◪◼◼

1   Dynamic dead-instruction detection and elimination
J. Adam Butts, Guri Sohi
October 2002   **ACM SIGOPS Operating Systems Review , ACM SIGPLAN Notices , ACM SIGARCH Computer Architecture News , Proceedings of the 10th international conference on Architectural support for programming languages and operating systems ASPLOS-X,** Volume 36 , 37 , 30 Issue 5 , 10 , 5
Publisher: ACM Press
Full text available: pdf(1.50 MB)   Additional Information: full citation, abstract, references, citings

2   Embra: fast and flexible machine simulation
Emmett Witchel, Mendel Rosenblum
May 1996   **ACM SIGMETRICS Performance Evaluation Review , Proceedings of the 1996 ACM SIGMETRICS international conference on Measurement and modeling of computer systems SIGMETRICS '96,** Volume 24 Issue 1
Publisher: ACM Press
Full text available: pdf(1.83 MB)   Additional Information: full citation, abstract, references, citings, index terms

3   Hardware/software instruction set configurability for system-on-chip processors
Albert Wang, Earl Killian, Dror Maydan, Chris Rowen
June 2001   **Proceedings of the 38th conference on Design automation**
Publisher: ACM Press
Full text available: pdf(156.09 KB)   Additional Information: full citation, abstract, references, citings, index terms

4   Register integration: a simple and efficient implementation of squash reuse
Amir Roth, Gurindar S. Sohi
December 2000   **Proceedings of the 33rd annual ACM/IEEE international symposium on Microarchitecture**
Publisher: ACM Press
Full text available: pdf(154.98 KB) ps(573.81 KB) Publisher Site   Additional Information: full citation, references, citings, index terms

5   Superscalar design: Three extensions to register integration
Vlad Petric, Anne Bracy, Amir Roth
November 2002   **Proceedings of the 35th annual ACM/IEEE international symposium on Microarchitecture**
Publisher: IEEE Computer Society Press
Full text available: pdf(1.37 MB) Publisher Site   Additional Information: full citation, abstract, references, index terms

6   Tuning garbage collection for reducing memory system energy in an embedded java environment
G. Chen, R. Shetty, M. Kandemir, N. Vijaykrishnan, M. J. Irwin, M. Wolczko
November 2002   **ACM Transactions on Embedded Computing Systems (TECS),** Volume 1 Issue 1
Publisher: ACM Press
Full text available: pdf(740.23 KB)   Additional Information: full citation, abstract, references, citings, index terms

**7**   Register file and memory system design: Reducing register ports for higher speed and lower energy
Il Park, Michael D. Powell, T. N. Vijaykumar
November 2002   **Proceedings of the 35th annual ACM/IEEE international symposium on Microarchitecture**

Publisher: IEEE Computer Society Press
Full text available:
pdf(1.28 MB)   Publisher   Additional Information: full citation, abstract, references, citings, index terms
Site

8 Energy efficient microarchitectural techniques: Checkpointing alternatives for high performance, power-aware processors
Andreas Moshovos
August 2003   **Proceedings of the 2003 international symposium on Low power electronics and design**
Publisher: ACM Press
Full text available: pdf(76.15 KB)   Additional Information: full citation, abstract, references, index terms

9 Sentinel scheduling: a model for compiler-controlled speculative execution
Scott A. Mahlke, William Y. Chen, Roger A. Bringmann, Richard E. Hank, Wen-Mei W. Hwu, B. Ramakrishna Rau, Michael S. Schlansker
November 1993 **ACM Transactions on Computer Systems (TOCS)**, Volume 11 Issue 4
Publisher: ACM Press
Full text available: pdf(2.26 MB)   Additional Information: full citation, abstract, references, citings, index terms

10 Effective compiler support for predicated execution using the hyperblock
Scott A. Mahlke, David C. Lin, William Y. Chen, Richard E. Hank, Roger A. Bringmann
December 1992 **ACM SIGMICRO Newsletter , Proceedings of the 25th annual international symposium on Microarchitecture MICRO 25**, Volume 23 Issue 1-2
Publisher: IEEE Computer Society Press, ACM Press
Full text available: pdf(1.31 MB)   Additional Information: full citation, references, citings, index terms

11 Speculative execution exception recovery using write-back suppression
Roger A. Bringmann, Scott A. Mahlke, Richard E. Hank, John C. Gyllenhaal, Wen-mei W. Hwu
December 1993 **Proceedings of the 26th annual international symposium on Microarchitecture**
Publisher: IEEE Computer Society Press
Full text available: pdf(1.22 MB)   Additional Information: full citation, references, citings

12 Extending performance approaches to new application domains: Performance aware software development (PASD) using resource demand budgets
Khalid H. Siddiqui, C. M. Woodside
July 2002   **Proceedings of the 3rd international workshop on Software and performance WOSP '02**
Publisher: ACM Press
Full text available: pdf(137.49 KB)   Additional Information: full citation, abstract, references, citings

13 Power: A compiler approach for reducing data cache energy
W. Zhang, M. Karakoy, M. Kandemir, G. Chen
June 2003   **Proceedings of the 17th annual international conference on Supercomputing**
Publisher: ACM Press
Full text available: pdf(299.23 KB)   Additional Information: full citation, abstract, references, citings, index terms

14 Is SC + ILP = RC?
Chris Gniady, Babak Falsafi, T. N. Vijaykumar
May 1999   **ACM SIGARCH Computer Architecture News , Proceedings of the 26th annual international symposium on Computer architecture ISCA '99**, Volume 27 Issue 2
Publisher: IEEE Computer Society, ACM Press
Full text available:
pdf(94.82 KB)   Publisher   Additional Information: full citation, abstract, references, citings, index terms
Site

Results 1 - 14 of 14

CiteSeer Find: | portable and boot and drive | | Documents | | Citations |

Searching for **portable and boot and drive**.
Restrict to: Header   Title   Order by: Expected citations   Hubs   Usage   Date   Try: Google (CiteSeer)   Google (Web)
Yahoo!   MSN   CSB   DBLP
8 documents found. **Order: number of citations.**

The Application of Wireless Local Area Network Technology to .. - Winfield, Holland (2000)   (Correct)   (7 citations)
to allow, for instance, roaming network nodes for **portable** computers within a building, is now relatively
the BIOS looks for a disk-**drive** from which to **boot** load the disk operating system: on a conventional
PC, after power-up, the BIOS looks for a disk-**drive** from which to **boot** load the disk operating
www.ias.uwe.ac.uk/~a-winfie/mmwlan.pdf

DHCP for Mobile Networking with TCP/IP - Perkins, Jagannadh (1995)   (Correct)   (6 citations)
offers "mobility" also offers "portability"**Portable** computers are expected to be conveniently
we detail the sequences of operations at **boot** time and later, between mobile nodes using DHCP
connections to the resources of the Internet, and **drive** the deployment of mobile networking protocols. At
www.srvloc.org/~charliep/txt/iscc95/iscc95.ps

Conquest: Better Performance through a.. - Wang, Reiher, Popek, .. (2002)   (Correct)   (1 citation)
storage. This transition is already happening in **portable** devices such as cameras, PDAs, and MP3 players.
by manually transferring files into ramfs at **boot** time and preserving them again before shutdown.
anticipated by the file system. 2.2 RAM **Drives** and RAM File Systems Many computer scientists
lasr.cs.ucla.edu/reiher/papers/usenix2002.ps

The FlightGear Flight Simulator History, status and future - Perry Alex Perry (2001)   (Correct)   (1 citation)
? Simulator Portability FlightGear aims to be **portable** across many different processors and operating
of serial and gameport devices often occurs at **boot**, earlier than users expect 4. Hot-swap support for
`plib-dev' is present. Starting from a blank hard **drive**, FlightGear can be running in less than an hour.
www.fastwave.net/pamurray/fgfs/linuxtag-paper.pdf

Windows CE for a Reconfigurable System-on-a-Chip Processor - George And Wong   (Correct)
application programs written on one platform is **portable** to the other. The nuances of configuring the
Windows CE has a hierarchical architecture with the **boot** loader, OAL (OEM adaptation layer) and device
National University of Singapore, 3 Science **Drive** 2, Singapore 117543 Singapore
www.comp.nus.edu.sg/~wongwf/papers/ICFPT04.pdf

Building a self-contained auto-configuring Linux system - Iso (2000)   (Correct)
software that simply only exists for Linux. A **"portable** Linux allround system"but without having to
www.knopper.net/knoppix/ Abstract **Boot**able CD-Roms with a small Linux rescue system in
of hardware identification and configuration of **drivers**, devices and X11 for his or her specific
www.usenix.org/publications/library/proceedings/als00/2000papers/papers/full_papers/knopper/knopper.ps

Spatial Variations Of The Wave, Stress And Wind Fields In.. - Larry Mahrt College   (Correct)
ONR funds is as follows: Equipment Usage/Reason **Portable** Computer Portability, ease of operation in the
The plan is to receive a set of 100Mb ZIP disks, **boot** under Windows 95, transfer the data to a 2Gb
Or Unexpected Code Modifications In The Field. Zip **Drive**/ Pcmcia Scsi In-Field Data Will Be Primarily
blg.oce.orst.edu/publications/../rasex/documents/MMMLM1.PDF

The RHODOS Space Manager 1993 - Wickham, De Paoli, Hobbs (1994)   (Correct)
As the Space Manager itself is designed to be **portable** across differing hardware platforms, it does not
2.1 **Boot**ing RHODOS and Priming the Space
It is not possible to permit the Space Manager to **drive** the MMU directly. When ever it is necessary to
ftp.cm.deakin.edu.au/pub/TR/Computing/rhodos/TR-C94-08.ps.gz

Try your query at: Google (CiteSeer)   Google (Web)   Yahoo!   MSN   CSB   DBLP

CiteSeer Find: | removable and boot and drive | | Documents | | Citations |

Searching for **removable and boot and drive**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Google (CiteSeer) Google (Web)
Yahoo! MSN CSB DBLP
7 documents found. **Order: number of citations.**

Forward Integrity For Secure Audit Logs - Bellare, Yee (1997) (Correct) (10 citations)
tampering by service bureau personnel. Using **removable** media, such as WORM **drives**, for logging is not
this work, we do not address the problem of secure **boot** [2]This is an orthogonal problem. We merely
University of California at San Diego, 9500 Gilman **Drive**, La Jolla, CA 92093, USA. E-mail:
www.cs.ucsd.edu/~bsy/pub/fi.ps

Unknown - (Correct)
8 6.2 **Removable** Media
1. Formatting required to make a CD or DVD **boot**able 2. INT 13 services used to access devices
2002 Information Technology -BIOS Enhanced Disk **Drive** Services -3 (EDD-3) This is an internal working
www.t13.org/docs2002/d1572r0.pdf

Page i Working T13 - Draft Revision August (Correct)
to access the hidden area in the same manner as a **removable** media device. This standard provides these
3.2.4 **Boot**
E. Stevens Phoenix Technologies LTD 135 Technology **Drive** Irvine, Ca. 92618 USA Tel: 949) 790-2121 Fax:
www.t13.org/project/d1367r0.pdf

Working T13 Draft D1367 - Revision September Information (Correct)
address the hidden area in the same manner as a **removable** media device. T13/1367D Revision 3 American
5.2 The **Boot** Engineering Extension Record (BEER)
E. Stevens Phoenix Technologies LTD 135 Technology **Drive** Irvine, Ca. 92618 USA Tel: 949) 790-2121 Fax:
fission.dt.wdc.com/pub/standards/x3t13/project/d1367r3.pdf

Patagonia CloneSys -- A Tool to Install Multi-Boot.. - Christian Kurmann Felix (Correct)
protection for certain partitions as well as for **removable** devices such as the floppy or the ZIP **drive**.
Patagonia CloneSys -A Tool to Install Multi-**Boot** Environments Christian Kurmann, Felix Rauch,
It first creates an exact image of a PC's hard **drive**, effectively taking a "snapshot" of all the files
www.cs.inf.ethz.ch/CoPs/patagonia/clonesys.pdf

Try your query at: Google (CiteSeer) Google (Web) Yahoo! MSN CSB DBLP